Author Index

Abban E.K. & Skibinski D.O.F.: Protein variation in *Schilbe mystus* (L.) and *Eutropius niloticus* (Ruppel) (*Pisces siluriformes*) in the Volta Basin of Ghana, West Africa, 25

Alias A.Z. & Siraj S.S.: The effect of packing density and habitat material on survival of *Macrobrachium rosenbergii* (de Man) post-larvae, 39

Aprahamian M.W.: Age structure of eel, *Anguilla anguilla* (L.), populations in the River Severn, England and the River Dee, Wales, 365

Baird R., *see* Druehl L.D.

Bennett L.W., *see* Martin J.F.

Berg O.K. *see* Gausen D.

Biró P. & Vörös L.: Relationship between the yield of bream, *Abramis brama* L., chlorophyll-a concentration and shore-length:water area ratio in Lake Balaton, Hungary, 53

Bracken J.J., *see* Kelly-Quinn M.

Brown J.R. & Hartwick E.B.: A habitat suitability index model for suspended tray culture of the Pacific oyster, *Crassostrea gigas* Thunberg, 109

Carrieri A., *see* Rossi R.

Cowx I.G., Wheatley G.A. & Hickley P.: Development of boom electric fishing equipment for use in large rivers and canals in the United Kingdom, 205

Dabrowski K., *see* Nagiec M.

Degani G., Levanon D. & Gallagher M.L.: Relationship between growth, food conversion, body size, body composition and temperature in the European eel, *Anguilla anguilla* L., 139

Druehl L.D., Baird R., Lindwall A., Lloyd K.E. & Pakula S.: Longline cultivation of some Laminariaceae in British Columbia, Canada, 253

Enderlein O., *see* Wickström H.

Fermin A.C. & Recometa R.D.: Larval rearing of bighead carp, *Aristichthys nobilis* Richardson, using different types of feed and their combinations, 283

Fineman-Kalio A.D.: Preliminary observations on the effect of salinity on the reproduction and growth of freshwater Nile tilapia, *Oreochromis niloticus* (L.), cultured in brackishwater ponds, 313

Flores-Nava A. & Vizcarra-Quiroz J.J.: Acute toxicity of Trichlorfon (Dipterex) to fry of *Cichlasoma urophthalmus* Günther, 341

Froese R.: Relationships between body weight and loading densities in fish transport using the plastic bag method, 275

Gallagher M.L., *see* Degani G.

Gausen D. & Berg O.K.: Strontium levels in scales and vertebrae of wild and hatchery-reared Atlantic salmon, *Salmo salar* L., smolts, 299

Gousset B.: A note on eel research in Japan, 393

Greer J.E., *see* Kennedy G.J.A.

Harriman R., *see* Tervet D.J.

Hartwick E.B., *see* Brown J.R.

Hepher B., *see* Milstein A.

Hickley P., *see* Cowx I.G.

Holm J.C. & Møller D.: A synopsis of smolt production in cages in a coastal freshwater lake in Norway, 221

Hulata G., *see* Milstein A.

Iversen E.S., *see* Jory D.E.

Johnsen B.O. & Ugehal O.: Effects of different kinds of fin-clipping on over-winter survival and growth of fingerling brown trout, *Salmo trutta* L., stocked in small streams in Norway, 305

Jory D.E. & Iversen E.S.: Shell strength of queen conch, *Strombus gigas* L.: aquaculture implications, 45

Kaiser H. & Schmitz O.: Water quality in a closed recirculating fish culture system influenced by addition of a carbon source in relation to feed uptake by fish, 265

Kelly-Quinn M. & Bracken J.J.: Brown trout, *Salmo trutta* L., production in an Irish coastal stream, 69

Kennedy G.J.A. & Greer J.E.: Predation by cormorants, *Phalocrocorax carbo* (L.), on the salmonid populations of an Irish river, 159

Kindschi G.A.: Effect of intermittent feeding on growth of rainbow trout, *Salmo gairdneri* Richardson, 213

Kuznecovs J., *see* Staniford A.J.

Lester L.J.: Differences in larval growth among families of *Penaeus stylirostris* Stimpson and *P. vannamei* Boone, 243

Levanon D., *see* Degani G.

Lindwall A., *see* Druehl L.D.

Lloyd K.E., *see* Druehl L.D.

Lucchini M., *see* Rossi R.

McCoy C.P., *see* Martin J.F.

Martin J.F., McCoy C.P., Tucker C.S. & Bennet L.W.: 2-methylisoborneol implicated as a cause of off-flavour in channel catfish, *Ictalurus punctatus* (Rafinesque), from commercial culture ponds in Mississippi, 151

Martinez-Palacios C.A.: Digestibility studies in juveniles of the Mexican cichlid, *Cichlasoma urophthalmus* Günther, 347

Mathews C.P.: Parasitic castration of *Penaeus semisulcatus* as a potential source of bias in length-based stock assessments, 97

Merola N.: Effects of three dietary protein levels on the growth of pacu, *Colossoma mitrei* Berg, in cages, 145

Milstein A., Hepher B. & Teltch B.: The effect of fish species combination in fish ponds on plankton composition, 127

Milstein A., Hulata G., & Wohlfarth G.W.: Canonical correlation analysis of relationships between management inputs and fish growth and yields in polyculture, 13
Møller, D., *see* Holm J.C.
Murawaska E., *see* Nagiec M.

Naesje T.F., *see* Vøllestad L.A.
Nagiec C., *see* Nagiec M.
Nagiec M., Dabrowski K., Nagiec C. & Murawaska E.: Mass-marking of coregonid larvae and fry by tetracycline tagging of otoliths, 171
Neophitou C.: Autecology of chub, *Leuciscus cephalus* (L.), in a Greek stream, and the use of the pharyngeal bone in fish predator–prey studies, 179

O'Hara K., *see* Petridis D.

Pakula S., *see* Druehl L.D.
Papoutsoglou S.E. & Voutsinos G.A.: Influence of feeding level on growth rate of *Tilapia aureus* (Steindachner) reared in a closed circulated system, 291
Petridis D. & O'Hara K.: Assessment of diet in two cyprinids using a modified stomach-flushing technique, 63
Piedrahita R.H.: Introduction to computer modelling of aquaculture pond ecosystems, 1

Recometa R.D., *see* Fermin A.C.
Rizzo M.G., *see* Rossi R.
Rossi R., Carrieri A., Rizzo M.G. & Lucchini M.: Use of intensive rearing systems as back-up for coastal lagoon aquaculture: an experience with eels, *Anguilla anguilla* L., in the Comacchio lagoons, 355

Siraj S.S., *see* Alias A.Z.
Skibinski D.O.F., *see* Abban E.K.
Schmitz O., *see* Kaiser H.
Staniford A.J. & Kuznecovs J.: Aquaculture of the yabbie, *Cheraz destructor* Clark (Decapoda:Parastacidae): an economic evaluation, 325

Teltch B., *see* Milstein A.
Tervet D.J. & Harriman E.: changes in pH and calcium after selective liming in the catchment of Loch Dee, a sensitive and rapid-turnover loch in southwest Scotland, 191
Toro J.E. & Varela C.S.: Growth and mortality of oysters, *Ostrea chilensis* Philippi, grown on trays and on the conventional 'cultch' system in the Quempillen River estuary, 101
Tucker C.S., *see* Martin J.S.

Ugedal O., *see* Johnsen B.O.

Vizcarra-Quiroz J.J., *see* Flores-Nava A.
Vøllestad L.A. & Naesje T.F.: Reading otoliths of eels, *Anguilla anguilla* (L.), of unknown age from Kolderveen, The Netherlands, 387
Vörös L., *see* Biró P.
Voutsinos G.A., *see* Papoutsoglou S.E.

Wheatley G.A., *see* Cowx I.G.
Wickström H. & Enderlein O.: Notes on the occurrence of two tropical species of *Anguilla* in reservoirs in south-eastern Sri Lanka and preliminary data on the populations, 377
Wohlfarth G.W., *see* Milstein A.

Subject Index

Abramis brama, see bream
Age structure, eel population, 365, 387
Anguilla spp., *see* eel
Aristichthys nobilis, see carp, bighead
Autecology, chub, 179

Book reviews:
- *Age and Growth of Fish*. Edited by Robert C. Summerfelt & Gordon E. Hall, 107
- *Aquaculture Training Manual*. By Donald R. Swift, 105
- *Angling and Wildlife in Fresh Waters*. Edited by P.S. Maitland & A.K. Turner, 322
- *Atlantic Salmon: Planning for the Future*. Edited by Derek Mills & David Piggins, 321
- *The Biology of Perch and Related Fish*. By J. Craig, 107
- *The Ecology of Temporary Waters*. By D. Dudley Williams, 217
- *Ecosystems of the World, Vol. 29, Managed Aquatic Systems*. Edited by R.G. Michael, 106
- *First Asian Fisheries Forum*. Edited by J.L. Maclean, L.B. Dizon & L.V. Hosillos, 219
- *Genetics for Fish Hatchery Managers*. By Douglas Tave, 105
- *A Guide to Integrated Warm Water Aquaculture*. By David Little & James Muir, 218
- *Population Genetics and Fishery Management*. Edited by Nils Ryman & Fred Utter, 217
- *Trout Farming Manual* (Second Edition). By J.P. Stevenson, 321

Bream, yield, 53

Carp:
- bighead, feed, 283
- common, polyculture analysis, 13
- grass, diet assessment, 63
- silver, polyculture analysis, 13

Castration, parasitic, length assessment bias, 97
Catfish, muddy flavour, 151
Cherax destructor, see yabbie
Chub, autecology, 179
Cichlid:
- digestibility soybean, 347
- toxicity to Dipterex, 341

Closed system, 265, 291
Colossoma mitrei, see pacu
Conch, queen, shell strength, 45
Coregonid, otolith tagging, 171
Cormorant, predation, 159
Crassostrea gigas, see oyster
Crayfish, culture economics, 325
Ctenopharyngodon idella, see carp, grass
Cyprinus carpio, see carp, common

Density, packing, *Macrobrachium*, 39
Diet:
- assessment, cyprinids, 63
- pacu, 145

Digestibility, soybean for cichlids, 347
Dipterex toxicity, 341

Ecosystems, pond, computer modelling, 1
Eel:
- age structure, 365
- growth relationships, 139
- intensive rearing, 355
- Japanese research, 393
- occurrence, tropical reservoirs, 377
- otolith reading, 387

Eutropius niloticus, protein variation, 25

Feeding:
- carp, 283
- cichlids, 347
- intermittent, 213
- tilapia, closed system, 291

Fin-clipping, brown trout, 305
Fishing, electric, 205
Flavour, muddy, in catfish, 151

Genetic variation, fish protein, 25
Growth:
- brown trout, 69
- eel, 139, 355
- larval, penaeids, 243
- oysters, cultch system, 101
- pacu diet, 145
- polyculture, 13
- rainbow trout, 213
- tilapia, in closed system, 291; in brackish water, 313
- trout, fin-clipping, 305

Habitat, suitability index model, oysters, 109
Hypothalmichthys molitrix, see carp, silver

Ictalurus punctatus, see catfish

Kelp, cultivation, 253

Laminaria spp., cultivation, 253
Leuciscus cephalus, see chub
Liming, Scottish loch, 191
Longline, seaweed cultivation, 253

Macrobrachium sp., transporting, 39
Management:
- eel rearing systems, 355
- electric fishing, 205
- input and yield correlations, 13
- liming Scottish loch, 191
- salmon smolts, 221
- yabbie culture, 325

2-methylisoborneol, off-flavour in catfish, 151
Model:
- bream yield, 53
- computer, pond ecosystems,1
- oyster habitat suitability index, 109

Ostrea chilensis, see oyster
Otolith, tagging, 171; reading, 387
Oyster:
  habitat suitability model, 109
  growth, 101

Packing, *Macrobrachium*, 39
Pacu, diet protein on growth, 145
Parasitic castration, length assessment bias, 97
Penaeids:
  bias in length assessments, 97
  larval growth, 243
Plankton composition in polyculture, 127
Plastic bag, transportation, 275
Polyculture:
  correlation analysis, 13
  plankton composition, 127
Pond:
  ecosystem modelling, 1
  plankton composition in polyculture, 127
Population:
  eels, age structure, 365; tropical reservoirs, 377
Predation:
  prey relationships, chub, 179
  reduction, queen conch, 45
  Salmo spp., 159
Protein:
  diet, on growth, 145
  genetic variation, 25
  soybean for cichlids, 347

Recirculation, water quality, 265
Reproduction, tilapia in brackishwater, 313

Salmo gairdneri, see trout, rainbow
Salmo trutta, see trout, brown
Salmon:
  management, 221
  predation by cormorants, 159
  strontium, 299
Schilbe mystus, protein variation, 25
Seaweed cultivation, 253
Shell strength, queen conch, 45
Smolt:
  production, 221
  strontium, 299
Strombus gigas, see conch, queen
Strontium, salmon smolts, 299
Survival, transporting *Macrobrachium*, 39

Tagging, otoliths, 171
Tench, diet assessment, 63
Tetracycline, tagging otoliths, 171
Tinca tinca, see tench
Tilapia:
  polyculture analysis, 13
  growth, in closed system, 291; in brackishwater, 313
Toxicity, Trichlorfon to cichlids, 341
Transport:
  Macrobrachium, 39
  plastic bags, 275
Trichlorfon, toxicity to cichlids, 341
Trout:
  brown, production, 69; predation, 159; fin-clipping, 305
  rainbow, intermittent feeding, 213; closed culture, 265

Variation, fish protein, 25

Water quality, closed culture, 265

Yabbie, culture economics, 325
Yield, carp polyculture, 13